

Mark Scheme (Results)

Summer 2013

GCSE Statistics
5ST1H_01 (Higher)

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications come from Pearson, the world's leading learning company. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.edexcel.com or www.btec.co.uk for our BTEC qualifications.

Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

If you have any subject specific questions about this specification that require the help of a subject specialist, you can speak directly to the subject team at Pearson. Their contact details can be found on this link: www.edexcel.com/teachingservices.

You can also use our online Ask the Expert service at www.edexcel.com/ask. You will need an Edexcel username and password to access this service.

Pearson: helping people progress, everywhere

Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

Summer 2013

Publications Code UG036990

All the material in this publication is copyright

© Pearson Education Ltd 2013

NOTES ON MARKING PRINCIPLES

- 1 All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- 2 Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- 3 All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- 4 Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- 5 Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.
- 6 Mark schemes will indicate within the table where, and which strands of QWC, are being assessed. The strands are as follows:

i) *ensure that text is legible and that spelling, punctuation and grammar are accurate so that meaning is clear*

Comprehension and meaning is clear by using correct notation and labeling conventions.

ii) *select and use a form and style of writing appropriate to purpose and to complex subject matter*

Reasoning, explanation or argument is correct and appropriately structured to convey mathematical reasoning.

iii) *organise information clearly and coherently, using specialist vocabulary when appropriate.*

The mathematical methods and processes used are coherently and clearly organised and the appropriate mathematical vocabulary used.

7 **With working**

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.

If working is crossed out and still legible, then it should be given any appropriate marks, as long as it has not been replaced by alternative work.

If it is clear from the working that the "correct" answer has been obtained from incorrect working, award 0 marks. Send the response to review, and discuss each of these situations with your Team Leader.

If there is no answer on the answer line then check the working for an obvious answer.

Any case of suspected misread loses A (and B) marks on that part, but can gain the M marks. Discuss each of these situations with your Team Leader.

If there is a choice of methods shown, then no marks should be awarded, unless the answer on the answer line makes clear the method that has been used.

8 Follow through marks

Follow through marks which involve a single stage calculation can be awarded without working since you can check the answer yourself, but if ambiguous do not award.

Follow through marks which involve more than one stage of calculation can only be awarded on sight of the relevant working, even if it appears obvious that there is only one way you could get the answer given.

9 Ignoring subsequent work

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: e.g. incorrect cancelling of a fraction that would otherwise be correct

It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect e.g. algebra.

Transcription errors occur when candidates present a correct answer in working, and write it incorrectly on the answer line; mark the correct answer.

10 Probability

Probability answers must be given as fractions, percentages or decimals. If a candidate gives a decimal equivalent to a probability, this should be written to at least 2 decimal places (unless tenths).

Incorrect notation should lose the accuracy marks, but be awarded any implied method marks.

If a probability answer is given on the answer line using both incorrect and correct notation, award the marks.

If a probability fraction is given then cancelled incorrectly, ignore the incorrectly cancelled answer.

11 Linear equations

Full marks can be gained if the solution alone is given on the answer line, or otherwise unambiguously indicated in working (without contradiction elsewhere).

Where the correct solution only is shown substituted, but not identified as the solution, the accuracy mark is lost but any method marks can be awarded.

12 Parts of questions

Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded in another.

13 Range of answers

Unless otherwise stated, when an answer is given as a range e.g. [3.5, 4.2] then this is inclusive of the end points and includes all numbers within the range.

Guidance on the use of codes within this mark scheme

M1 – method mark

A1 – accuracy mark (dependent on method mark)

B1 – working mark

C1 – communication mark

QWC – quality of written communication

awrt – answer which rounds to

oe – or equivalent

cao – correct answer only

ft – follow through

sc – special case

dep – dependent (on a previous mark or conclusion)

indep – independent

isw – ignore subsequent working

Question	5ST1H_01 Scheme		Marks
1. (a)	$\frac{14}{65}$	74	B1 (1)
(b)(i)	Adult		B1
(ii)	$\frac{24}{120}$ oe		B1 (2)
(c)	$\frac{10}{22}$ oe or awrt 0.45 or 0.455		M1 A1 (2) [5]
Notes			
(a)	B1 for 65, 14 and 74 seen in the correct cells		
(b)(i)	B1 for adult/male/adult male		
(ii)	B1 allow any equivalent fraction, decimal or percentage		
(c)	M1 for attempt at conditional probability (a fraction [0,1] with denominator 22) A1 allow equivalent fractions. Allow decimals or percentages to at least 2sf. Note: 0.45 on its own scores M1A1 but 0.45 from incorrect working scores M0A0		

2. (a)	Somerfield		B1 (1)
(b)	1 890 000 (allow 1 890)		B1 (1)
(c)	2009: 30.1+17.2+16.2 +11.7 =	2010: 30.4+17.0+16.3+12.3 =	M1
	<u>75.2</u>	<u>76</u>	A1 A1 (3)
(d)	A correct comment (follow through their figures)		B1ft (1) [6]
Notes			
(c)	M1 for 4 figures added together with at least three correct for either year (may be implied by one correct total). Do not isw here. If there is division by 4 (or 100), then M0 A1 for 75.2 or 76 (allow 76.0) A1 for both answers correct and associated with correct year		
(d)	B1ft for a correct comment based on two values found in (c). (Ignore figures in their statement). Do NOT allow comments about individual supermarkets only. Accept: both about $\frac{3}{4}$ / they are similar / there is little change / it has increased etc.		


Question	5ST1H_01 Scheme	Marks
<p>3. (a) Advantage:</p> <ul style="list-style-type: none"> • People can give a more considered response / feel less pressured / take their time • Avoids possible interviewer bias / ensures all get questions asked the same way • Cheaper/no need to pay interviewers • Faster way to collect lots of data <p>Disadvantage:</p> <ul style="list-style-type: none"> • Questions cannot be explained if not understood • May have many non-responses <p>(b) One reason from each of:</p> <ul style="list-style-type: none"> • Biased/leading question or says “do you agree...” • Open question (allows for too many different answers) or no response boxes <p>(c) e.g. <i>How much would you be willing to pay to park at the theatre (per visit)?</i> Set of unique boxes – must include units</p> <p>(d) Any two of:</p> <ul style="list-style-type: none"> • A sample is quicker • A sample is easier • A sample is cheaper to do • A sample is convenient • A sample has less data to handle <p>(e) Any two of:</p> <ul style="list-style-type: none"> • Not a good sample • Sample too small • Not everyone is in telephone directory • Sample not representative • Not everyone has a chance of being asked • Not random/Is biased 		<p>B1</p> <p>B1</p> <p>(2)</p> <p>B1</p> <p>B1</p> <p>(2)</p> <p>B1 B1</p> <p>(2)</p> <p>B2</p> <p>(2)</p> <p>[10]</p>
Notes		
	<p>For part (a), (b), (d) and (e) ignore excess comments if not contradictory.</p> <p>(a) B1 for any suitable advantage. Condone ‘quicker’ Condone ‘more honest’/‘anonymous’ B1 for any suitable disadvantage that does not contradict the advantage. Condone ‘cannot ask follow up questions’ Do not allow ‘cannot expand on answers’</p> <p>(b) B1 for biased or leading or a comment which directly implies biased/leading B1 for open question or equivalent Both marks may be scored in one line</p> <p>(c) B1 for a suitable non-biased question about the cost of parking B1 for at least 3 response boxes. Response boxes need not be exhaustive but must not overlap. Must include units (£/p) in the question or response boxes.</p> <p>(d) B1 B1 for any two correct statements. Both marks may be scored in one line Do not allow converse about census unless compared with sample</p> <p>(e) B2 for any two correct statements (B1 for any one correct statement)</p>	

Question	5ST1H_01 Scheme	Marks
4.	(a) Raw data not known, or Mid points were used	B1 (1)
	(b) Increase by £10	B1 (1)
		[2]
Notes		
(a)	B1 for any comment stating or implying that the original data is not used in the calculation (e.g. data is grouped)	
(b)	B1 for a response which has BOTH increase (or equivalent) and by 10	
5.	(a) They have gone up by 12%	B1 B1 (2)
	(b) $\frac{123}{100} \times 14000$ (OR $\frac{23}{100} \times 14000 + 14000$) = £17 220	M1 A1cao (2)
		[4]
Notes		
(a)	B1 for gone up/higher/more. Accept was lower in 2000 B1 for 12% / 112% of what it was / £1 680/ now £15 680 Gone up by 112% is B1 B0	
(b)	M1 for a fully correct method A1 cao	

Question	5ST1H_01 Scheme	Marks
<p>6. (a) A relevant hypothesis relating to books</p> <p>*(b) Students numbered - either of:</p> <ul style="list-style-type: none"> • number the students OR use a list/database/register of students <p>Selection:</p> <ul style="list-style-type: none"> • Use of a random number generator <p>Matching:</p> <ul style="list-style-type: none"> • Use student corresponding to number selected <p>For any relevant statistical problem about the sample selection</p> <p>(c)(i) Stratified (sampling)</p> <p>(ii) $\frac{240}{1200} \times 40 = 8$</p>		<p>B1 (1)</p> <p>B1</p> <p>B1</p> <p>B1</p> <p>B1</p> <p>(4)</p> <p>B1</p> <p>M1A1cao</p> <p>(3)</p> <p>[8]</p>
Notes		
<p>(a)</p> <p>(b)</p> <p>(c)(ii)</p>	<p>B1 e.g. Students buy less ebooks than books from shops or More students buy ebooks than books from shops or The amount spent on ebooks is the same as the amount spent on books at shops (B0 for a question)</p> <p>*For QWC: 1st B1 and 2nd B1 use of words in bold (oe) required *1st B1 for number/list/data base/register/sampling frame/spreadsheet *2nd B1 for use of a suitable random number generator e.g. random number table, calculator, computer oe (B0 for put the names/numbers in a hat) 3rd B1 for matching number to student. 4th B1 e.g. ‘do not use repeats’ ‘discard numbers out of range’ ‘may be difficult to obtain a register of all 1200 students’ ‘register of students may not be up-to-date’ ‘students may be absent/may refuse to participate,’ etc.</p> <p>M1 for any equivalent method A1 cao</p>	


Question	5ST1H_01 Scheme	Marks
7.	(a) Two correct bars: 54 and 12 with shading	B2 (2)
	(b) 42	B1 (1)
	(c) Sugar	B1 (1)
	(d) Light curry has lower %RDA for saturates.	B1
	Standard is 90(%) and Light is 28(%)	B1 (2) [6]
Notes		
(a)	B2 for both bars with standard chicken curry bar shaded. ½ square tolerance on height (ignore width) (B1 for both bars no shading or either bar correct with shading)	
(d)	B1 for any correct comparison involving saturates (allow converse) B1 for any correct supporting figures e.g. ‘difference is 62(%)’, ‘Standard is (approximately) 3 times Light’ (condone ‘more than double’)	
8.	(a) (Quarters) 2 & 3, 2007	B1 (1)
	(b) Downwards	B1 (1)
	(c) 21.95	B1 (1)
	(d) Expect it to be higher (than the true value)	B1
	Quarter 4 figures are below trend line/ seasonal variation is negative	B1 (2) [5]
Notes		
(b)	B1 for falling/negative/decreasing oe Negative correlation on its own is B0. Condone e.g. as the years increase, the hours decrease Do not allow quarter on quarter comments/It goes down and then back up	
(c)	B1 accept anything in the range [21.92,21.98]	
(d)	1 st B1 for higher (allow converse if the response says: true/actual value is less than ‘c’ or true/actual value is below trend line) 2 nd B1 for Q4 figures below trend line/negative seasonal variation SC: B2 for lower since the difference between Q3 and Q4 is increasing (allow converse)	

Question	5ST1H_01 Scheme	Marks
<p>9. (a)</p> <div data-bbox="272 224 866 501" style="border: 1px solid black; padding: 10px; margin: 10px auto; width: fit-content;"> </div> <p>(b)(i)</p> <p>(ii)</p> <p>(c)</p>	<p style="text-align: right;">5</p> <p style="text-align: right;">15 or 35</p> <p style="text-align: right;">All correct</p>	<p>B1</p> <p>B1</p> <p>B1</p> <p style="text-align: right;">(3)</p> <p>B1</p> <p style="text-align: right;">(1)</p> <p>M1A1ft</p> <p style="text-align: right;">(2)</p> <p>M1A1</p> <p style="text-align: right;">(2)</p> <p style="text-align: right;">[8]</p>
Notes		
<p>(a)</p> <p>(b)(ii)</p> <p>(c)</p>	<p>B1 for 5 B1 for 15 or 35 in correct region of Venn diagram B1 fully correct including 45 (Allow 0.05, 0.15, 0.35 and 0.45)oe</p> <p>M1 for $\frac{'35'}{k}$ with $k > '35'$ A1ft for $\frac{'35'}{100}$</p> <p>M1 for $\frac{'5'}{'5'+'15'}$ (may be implied by correct answer)</p>	

Question	5ST1H_01 Scheme	Marks
<p>10.</p> <p>(a)</p> <p>(b)</p> <p>(c)</p> <p>(d)</p> <p>(e)</p> <p>*(f)</p>	<p>290</p> <p>350-260 = 90</p> <p>Outlier or a building much taller than the others</p> <p>1.5×(300-255) (=67.5) or 300+1.5×'45' (=367.5)</p> <p>>67.5 above UQ or 442 > 367.5</p>  <p>box with at least one whisker 255, 270, 300 All correct with outlier at 442</p> <p>Three comparisons:</p> <ul style="list-style-type: none"> • Asia has higher median. • Asia has greater IQR (or range) • Both positive skew <p>Comment: Asia has the taller skyscrapers</p>	<p>B1 (1)</p> <p>M1A1cao (2)</p> <p>B1 (1)</p> <p>M1 A1 (2)</p> <p>B1 B1 B1 (3)</p> <p>B1 B1 B1</p> <p>B1 (4)</p> <p>[13]</p>
Notes		
	<p>(b) M1 for 350-260 (=90)</p> <p>(c) B1 for word outlier seen or for making it clear that the building is a lot/significantly taller than the others.</p> <p>(d) M1 for 1.5 x (300-255) A1 for comparison 442>367.5 or 442 is more than 67.5 above UQ</p> <p>(e) ½ square tolerance B1 for box with at least one whisker. B1 for all three quartiles correct B1 for all correct with outlier (condone upper whisker extending to 367.5)</p> <p>(f) For 1st 3 B1s must be a comparison and must use correct statistical words. Allow converse statements. Do not allow 'wider' IQR/range. 4th B1 is independent of 1st 3 B marks (condone Asia has the tallest skyscraper)</p>	

Question	5ST1H_01 Scheme	Marks
11. (a)	50-54	B1 (1)
(b)	Negative	B1 (1)
(c)(i)	$\Delta y/\Delta x = -1.05$	M1A1
(ii)	(1.05 mm) decrease in rainfall for every additional hour of sunshine	B1 (3)
		[5]
	Notes	
(c)(i)	M1 for attempt at $\Delta y/\Delta x$ with figures seen. This may be implied by the subtraction of any two numbers in the range [24,118] for Δy and [136,224] for Δx . ($\Delta x/\Delta y$ is M0) A1 for answers in the range [-1.12,-0.98] SC B1 for answers in the range [0.98, 1.12]	
(ii)	B1 must mention decrease in rainfall per unit increase in sunshine in a correct comment.	
12. (a)	$\sum d^2 = 4+9+16+9+4+0+25+9 (= 76)$ $1 - \frac{6 \times 76}{8(64-1)} = \text{awrt } 0.095$	M1 M1 A1cao (3)
(b)	0.095 is close to zero, so there is little/no correlation meaning there is no association between the judges' ranks or judges are not in agreement, or judges are using different criteria	B1ft B1ft (2)
		[5]
	Notes	
(a)	M1 for attempt at $\sum d^2$ with at least 3 d^2 correct M1 for use of correct formula with their $\sum d^2$ and with $1 - \dots$ A1 for awrt 0.095. Allow $\frac{2}{21}$	
(b)	Must have a value in (a) and only ft a value in the range [-1,1] 1 st B1ft for little correlation/no correlation/weak correlation. Allow positive correlation 2 nd B1ft for sensible statement that matches their choice of correlation OR a correct contextualised statement on its own.	

Question	5ST1H_01 Scheme	Marks
<p>13. (a)</p> <p>(b)</p>	<p>Mean = 55</p> <p>$(85 - '55')/3$ or $(85-25)/6$</p> <p>= 10</p> <p>(Test 1) $\frac{60 - '55'}{10} = 0.5$ (Test 2) $\frac{60 - 64}{12} = -0.3333...$</p> <p>Performed better on Test 1 ... as standardised score is higher</p>	<p>B1</p> <p>M1</p> <p>A1</p> <p>(3)</p> <p>M1A1ftA1</p> <p>B1</p> <p>dB1</p> <p>(5)</p> <p>[8]</p>
Notes		
<p>(a)</p> <p>(b)</p>	<p>B1 allow anything [53,57] M1 for finding half the range [27, 33] and using 3sd or finding the range [54, 66] and using 6sd A1 for [9,11]</p> <p>M1 $\frac{60 - '55'}{10}$ or $\frac{60 - 64}{12}$ A1ft for Test 1 correct to 1dp or better using their values from (a) A1 for -0.3 or better 1st B1 performed better on Test 1 2nd B1 dependent on first B1 for Test 1 score is higher OR Test 1 score is positive and Test 2 score is negative OR Test 1 is above mean and Test 2 is below mean (condone average)</p>	

Question	5ST1H_01 Scheme	Marks
<p>14. (a)</p>	<p>f.d. = $\frac{8}{50} = 0.16$; $\frac{2}{100} = 0.02$; $\frac{3}{200} = 0.015$</p> <p>Use of frequency density horizontal boundaries: 400, 500, 700 all heights correct</p>  <p>(b) The median is less than (£)350 (000) or The median lies in the class $300 \leq p < 350$</p> <p>Evidence to support that Jason is wrong.</p> <p>(c) $1 + 9 + \frac{4}{5} \times 10 = 18$ (or $1 + 9 + 40 \times 0.2$)</p>	<p>M1 A1 A1 (3)</p> <p>B1</p> <p>B1 (2)</p> <p>M1A1cao (2)</p> <p>[7]</p>
Notes		
<p>(a)</p> <p>(b)</p> <p>(c)</p>	<p>M1 for attempt at frequency density (may be implied by one correct bar height or one correct calculation) ($\frac{1}{2}$ square tolerance)</p> <p>B1 correctly identifying the median is less than (£)350 or identifying correct class interval for the median B1 for evaluating $n/2$ (condone $(n+1)/2$) to support conclusion i.e. $33/2$ or $34/2$ or 17 or 16.5 or stating 20 houses less than £350 or 13 houses more than £350 or 350 does not lie in the class interval that contains the median</p> <p>M1 for a fully correct calculation A1 for 18 only</p>	

Question	5ST1H_01 Scheme	Marks
15. (a) (b) (c)(i) (ii) (d)	Horizontal lines at 108 and 110, labelled warning and action respectively 5 point plotted (6, 97.8) Production line must be stopped If a sample (mean) is between warning and action limits a further sample is taken. If further sample is also outside warning limits then stop the process OR If further sample is within warning limits take no action	B2 (2) B1 (1) B1 B1 (2) B1 B1 dB1 (3) [8]
	Notes	
(a) (c)(i) (c)(ii) (d)	B2 lines and labels (B1 1 line + correct label or both lines and no/incorrect labels) Point plotted between (6, 97.2) and (6, 98) B1 allow reset/adjusted 1 st B1 for sample between warning and action limits 2 nd B1 for a further sample is taken 3 rd B1 dependent on at least one B1 being earned previously for a correct decision of what action to take following the outcome of the further sample	

Further copies of this publication are available from
Edexcel Publications, Adamsway, Mansfield, Notts, NG18 4FN

Telephone 01623 467467

Fax 01623 450481

Email publication.orders@edexcel.com

Order Code UG036990 Summer 2013

For more information on Edexcel qualifications, please visit our website
www.edexcel.com

Pearson Education Limited. Registered company number 872828
with its registered office at Edinburgh Gate, Harlow, Essex CM20 2JE

Ofqual




Llywodraeth Cynulliad Cymru
Welsh Assembly Government

