

# Target Test Non Calculator 2

## Mark Scheme

## NOTES ON MARKING PRINCIPLES

### 1 Types of mark

M marks: method marks

A marks: accuracy marks

B marks: unconditional accuracy marks (independent of M marks)

### 2 Abbreviations

cao - correct answer only

ft - follow through

isw - ignore subsequent working

SC: special case

oe - or equivalent (and appropriate)

dep - dependent

indep - independent

### 3 No working

If no working is shown then correct answers normally score full marks

If no working is shown then incorrect (even though nearly correct) answers score no marks.

### 4 With working

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.

If working is crossed out and still legible, then it should be given any appropriate marks, as long as it has not been replaced by alternative work.

If it is clear from the working that the “correct” answer has been obtained from incorrect working, award 0 marks. Send the response to review, and discuss each of these situations with your Team Leader.

If there is no answer on the answer line then check the working for an obvious answer.

Any case of suspected misread loses A (and B) marks on that part, but can gain the M marks. Discuss each of these situations with your Team Leader.

If there is a choice of methods shown, then no marks should be awarded, unless the answer on the answer line makes clear the method that has been used.

### 5 Follow through marks

Follow through marks which involve a single stage calculation can be awarded without working since you can check the answer yourself, but if ambiguous do not award.

Follow through marks which involve more than one stage of calculation can only be awarded on sight of the relevant working, even if it appears obvious that there is only one way you could get the answer given.

**6 Ignoring subsequent work**

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: e.g. incorrect canceling of a fraction that would otherwise be correct

It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect e.g. algebra.

Transcription errors occur when candidates present a correct answer in working, and write it incorrectly on the answer line; mark the correct answer.

**7 Probability**

Probability answers must be given as fractions, percentages or decimals. If a candidate gives a decimal equivalent to a probability, this should be written to at least 2 decimal places (unless tenths).

Incorrect notation should lose the accuracy marks, but be awarded any implied method marks.

If a probability answer is given on the answer line using both incorrect and correct notation, award the marks.

If a probability fraction is given then cancelled incorrectly, ignore the incorrectly cancelled answer.

**8 Linear equations**

Full marks can be gained if the solution alone is given on the answer line, or otherwise unambiguously indicated in working (without contradiction elsewhere). Where the correct solution only is shown substituted, but not identified as the solution, the accuracy mark is lost but any method marks can be awarded.

**9 Parts of questions**

Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded in another.


**10 Range of answers**

Unless otherwise stated, when an answer is given as a range (e.g. 3.5 - 4.2) then this is inclusive of the end points (e.g. 3.5, 4.2) and includes all numbers within the range (e.g. 4, 4.1)

1380/3H				
Question	Working	Answer	Mark	Notes
1		$8x + 6y$	2	B2 for $8x + 6y$ or $6y + 8x$ or $2(4x + 3y)$ or $2(3y + 4x)$ ; accept $x8$ or $y6$ etc. [B1 for $8x$ or $6y$ , accept $x8$ or $y6$ ]
2		$\begin{array}{r l} 4 & 3\ 5\ 7\ 7 \\ 5 & 0\ 3\ 3\ 5\ 6\ 7\ 8\ 8\ 8 \\ 6 & 1\ 2\ 2 \end{array}$ <p>Key Eg. <math>4\   \ 3</math> means 43g</p>	3	B2 for a fully correct diagram. Accept a stem of 40, 50, 60 (the order of the numbers in the stem may be reversed) (B1 for ordered or unordered leaves, with just one error or omission) B1 for a correct key (units may be omitted)
3	(i) $180 - 110 = 70$ $180 - 2 \times 70$  (ii)	$40$  Reasons	4	M1 for $180 - 110$ or 70 seen M1 for $180 - 2 \times "70"$ or $110 - "70"$ A1 cao B1 for two out of three of: angles on a line add to $180^\circ$ ; isosceles triangle (accept 2 sides equal or 2 angles equal) ; sum of the angles in a triangle is equal to $180^\circ$ OR for two out of three of: angles on a line add to $180^\circ$ ; isosceles triangle (accept 2 sides equal or 2 angles equal) ; exterior angle of a triangle is equal to the sum of the interior opposite angles

Question		Working	Answer	Mark	Notes
4			Triangle at (1,-2), (-1,-2), (1,-5)	2	B2 for triangle at (1,-2), (-1,-2), (1,-5) (B1 for rotation of 180° about the wrong centre or for a rotation of 90°, centre (1,0) clockwise or anticlockwise)
5			Enlargement scale factor 2 centre (1,0)	3	B1 for enlargement B1 for scale factor 2 oe (eg 'x2', ' by 2', ' of 2') B1 for (1,0) [condone omission of brackets and/or the word 'centre'; do not accept a vector]  Note: A combination of transformations gets NO marks

Question		Working	Answer	Mark	Notes
6		$40 \div (2 + 3) = 8$ $8 \times 2$ $8 \times 3$	16, 24	3	M1 for $40 \div (2 + 3) (= 8)$ oe or $\frac{2}{5}$ oe or $\frac{3}{5}$ oe or for listing at least 3 multiples of 2 and 3 M1 (dep) for " $8$ " $\times 2$ or " $8$ " $\times 3$ oe A1 for 16 and 24 in correct places [SC : B2 for 24, 16 if M0 scored] [SC: If M0 scored, B1 may be awarded for just one correct answer, in the correct place]
7	(a)		15 - 19	1	B1 for 15 - 19 oe (eg 15 to 19)
	(b)		Freq polygon through (2, 8), (7, 11), (12, 9), (17, 14) and (22, 18)	2	B2 for a complete and correct polygon (ignore any histograms, any lines below a mark of 2 or above a line of 22, but award B1 only if there is a line joining the first to last point)  (B1 for one vertical or one horizontal plotting error OR for incorrect but consistent error in placing the midpoints horizontally (accept end points of intervals) OR for correct plotting of mid-interval values but not joined ) Plotting tolerance $\pm \frac{1}{2}$ square Points to be joined by lines (ruled or hand-drawn but not curves)

Question	Working	Answer	Mark	Notes																
8	$\frac{1}{2} \times 3 \times 4 \times 20$	120	2	M1 for $\frac{1}{2} \times 3 \times 4 \times 20$ A1 cao																
9	$\begin{array}{r} 452 \\ 36 \\ \hline 2712 \end{array}$ $\begin{array}{r} 13560 \\ 16272 \end{array}$  <table border="1" data-bbox="448 774 806 917"> <tbody> <tr> <td></td> <td>400</td> <td>50</td> <td>2</td> </tr> <tr> <td>3</td> <td>12000</td> <td>1500</td> <td>60</td> </tr> <tr> <td>0</td> <td></td> <td></td> <td></td> </tr> <tr> <td>6</td> <td>2400</td> <td>300</td> <td>12</td> </tr> </tbody> </table> $12000 + 1500 + 60 + 2400 + 300 + 12 = 16272$		400	50	2	3	12000	1500	60	0				6	2400	300	12	162.72	3	M1 for complete method with relative place value correct. Condone 1 multiplication error, addition not necessary. OR M1 for a complete grid. Condone 1 multiplication error, addition not necessary. OR M1 for sight of a complete partitioning method, condone 1 multiplication error. Final addition not necessary. A2 for 162.72 (A1 (dep on M1) for correct placement of decimal point after final addition (of appropriate values) or for digits 16272 seen) (SC; B1 for attempting to add 36 lots of 4.52)
	400	50	2																	
3	12000	1500	60																	
0																				
6	2400	300	12																	

Question	Working	Answer	Mark	Notes
10	$300 \div 6 = 50$ $300 \div 10 \times 3 = 90$ $300 - 90 - 50$ <p>or</p> $\frac{1}{6} + \frac{3}{10} = \frac{7}{15}$ $\frac{7}{15} \times 300 = 140$ $300 - 140$	160	4	<p>M1 for <math>300 \div 6</math> or 50 seen  M1 for <math>300 \div 10 \times 3</math> oe or <math>30 + 30 + 30</math> or 90 seen  M1 (dep on at least 1 previous M1) for <math>300 - "50" - "90"</math>  A1 cao</p> <p>or</p> <p>M1 for <math>\frac{1}{6} + \frac{3}{10}</math> or <math>\frac{7}{15}</math> oe</p> <p>M1 for <math>"\frac{7}{15}" \times 300</math> or 140 seen or <math>1 - "\frac{7}{15}"</math> or <math>\frac{8}{15}</math> oe seen  M1 (dep on at least 1 previous M1) for <math>300 - "140"</math>  or 160 seen or <math>"\frac{8}{15}" \times 300</math>  A1 cao</p>



Question		Working	Answer	Mark	Notes
11		$360 \div 5$ or $180 - (3 \times 180 \div 5)$	72	2	M1 for $360 \div 5$ or $180 - (3 \times 180 \div 5)$ A1 cao
12			2 reasons	2	B2 for 2 out of 3 of these aspects Aspect1: no time frame, Aspect 2: overlapping, Aspect 3: not exhaustive (B1 for 1 aspect) [SC: B1 for designing a better question identifying at least one aspect]
13	(a)		3, -3, -1	2	B2 for all 3 correct (B1 for 1 or 2 correct)
	(b)		Graph	2	B2 for a fully correct graph or B1 ft for "7 points" plotted correctly $\pm 2$ mm B1 for a smooth curve drawn through their points provided B1 awarded in (a) Note: A straight line drawn from (-1, -3) to (0, -3) gets a maximum of B1
	(c)		-2.3 and 1.3	1	B1 for -2.3 and 1.3 or ft $\pm 2$ mm on a graph with exactly 2 points of intersection with the $x$ -axis.

Question	Working	Answer	Mark	Notes
14	<div style="display: flex; align-items: center;"> <div style="margin-right: 20px;">           2) 180            2) 90            3) 45            3) 15            5) 5              1         </div> <div> <math display="block">  \begin{array}{r}  180 \\  \swarrow \quad \searrow \\  2 \quad 90 \\  \quad \swarrow \quad \searrow \\  \quad 3 \quad 30 \\  \quad \quad \swarrow \quad \searrow \\  \quad \quad 3 \quad 10 \\  \quad \quad \quad \swarrow \quad \searrow \\  \quad \quad \quad 2 \quad 5  \end{array}  </math> </div> </div>	$2 \times 2 \times 3 \times 3 \times 5$	3	<p>M1 for attempt at continual prime factorization (at least two correct divisions); could be shown as a factor tree</p> <p>OR sight of at least one of each 2,3,5 as factors of 180</p> <p>A1 for a fully correct factor tree or 2, 2, 3, 3, 5 which may include 1, but no other numbers</p> <p>A1 for <math>2 \times 2 \times 3 \times 3 \times 5</math> or <math>2^2 \times 3^2 \times 5</math></p> <p>[Note <math>1 \times 2 \times 2 \times 3 \times 3 \times 5</math> or 2,2,3,3,5 or 2.2.3.3.5 do not get the final A1]</p>
15	$\frac{13}{4} \times \frac{8}{3}$	$\frac{26}{3}$	3	<p>M1 for attempt to convert to improper fractions eg. <math>\frac{3 \times 4 + 1}{4}</math> oe or <math>\frac{2 \times 3 + 2}{3}</math> oe seen</p> <p>M1 (dep) for <math>\frac{"13" \times "8"}{4 \times 3}</math> or <math>\frac{104}{12}</math> oe seen</p> <p>A1 for <math>\frac{26}{3}</math> or <math>8\frac{2}{3}</math></p> <p>OR</p> <p>M1 for <math>3.25 \times 2.66</math> or better</p> <p>M1 for a fully correct multiplication method</p> <p>A1 for 8.66.... (recurring)</p>

Question		Working	Answer	Mark	Notes									
16	(a)		$3(x + 4)$	1	B1 for $3(x + 4)$ Accept $3 \times (x + 4)$ , $(x + 4)3$ and $(x + 4) \times 3$									
	(b)	$8x - 12 = 5x + 7$ $8x - 5x = 7 + 12$ $3x = 19$	$\frac{19}{3}$ oe	3	M1 for $4 \times 2x - 4 \times 3$ or $8x - 12$ seen or for an intent to divide by 4 throughout eg. $\frac{5}{4}x + \frac{7}{4}$ oe seen M1 for a correct method to isolate terms in $x$ and isolate number terms on opposite side of a 4-term equation eg. ' $8x$ ' - $5x = 7 +$ ' $12$ ' or $3x = 19$ seen A1 for $\frac{19}{3}$ oe (accept 6.33 or better)									
	(c)	$y^2 + 5y + 4y + 20$  <table style="border-collapse: collapse; margin-left: 20px;"> <tr> <td style="border-right: 1px solid black; padding: 0 5px;"></td> <td style="padding: 0 5px;"><math>y</math></td> <td style="padding: 0 5px;"><math>+4</math></td> </tr> <tr> <td style="border-top: 1px solid black; border-right: 1px solid black; padding: 0 5px;"><math>y</math></td> <td style="border-top: 1px solid black; padding: 0 5px;"><math>y^2</math></td> <td style="border-top: 1px solid black; padding: 0 5px;"><math>4y</math></td> </tr> <tr> <td style="border-right: 1px solid black; padding: 0 5px;"><math>+5</math></td> <td style="padding: 0 5px;"><math>5y</math></td> <td style="padding: 0 5px;"><math>20</math></td> </tr> </table>		$y$	$+4$	$y$	$y^2$	$4y$	$+5$	$5y$	$20$	$y^2 + 9y + 20$	2	B2 cao (B1 for 4 correct terms with or without signs, or 3 out of no more than 4 terms, with correct signs. The terms may be in an expression or in a table)
	$y$	$+4$												
$y$	$y^2$	$4y$												
$+5$	$5y$	$20$												
	(d)		$4x(2x + 3y)$	2	B2 cao [B1 for $4(2x^2 + 3xy)$ or $x(8x + 12y)$ or $2x(4x + 6y)$ or $2(4x^2 + 6xy)$ or $4x$ (a linear expression in $x$ and $y$ , with just one error); for example $4x(kx + 3y)$ or $4x(2x + ky)$ $k \neq 0$ ]									

Question	Working	Answer	Mark	Notes
17	$6x + 4y = 16$ $6x + 15y = -6$ $-11y = 22$ $6x + 4 \times -2 = 16$ <p>Alternative method</p> $x = \frac{8 - 2y}{3}$ $2\left(\frac{8 - 2y}{3}\right) + 5y = -2$ $16 - 4y + 15y = -6$ $11y = -22$ $x = \frac{8 - 2 \times -2}{3}$	$x = 4, y = -2$	4	<p>M1 for correct process to eliminate either <math>x</math> or <math>y</math> (condone one arithmetic error)  A1 for either <math>x = 4</math> or <math>y = -2</math></p> <p>M1 (dep on 1<sup>st</sup> M1) for correct substitution of their found variable  OR  M1 (indep of 1<sup>st</sup> M1 for a correct process to eliminate the other variable (condone one arithmetic error)  A1 cao for both <math>x = 4</math> and <math>y = -2</math></p> <p>[SC: B1 for <math>x=4</math> or <math>y=-2</math> if M0 scored]</p>

Question		Working	Answer	Mark	Notes
18	(a)		$20 < n \leq 30$	1	B1 for $20 < n \leq 30$ Accept 20 to 30, 20 - 30 oe but not 26 Accept an indication of chosen interval on the diagram (circling) if no answer on the answer line
	(b)		16,42,65,75,80	1	B1 cao
	(c)		Points plotted and joined	2	B1 ft for at least 4 of "5 points" plotted correctly $\pm 2$ mm at end of interval dep on sensible table (condone 1 addition error) B1 ft (dep on previous B1) for points joined by curve or line segments provided no gradient is negative - ignore any part of graph outside range of their points (SC B1 if 4 or 5 pts plotted not at end but consistent within each interval and joined)
	(d)(i)		28 - 30	3	B1 for an answer in the range 28 - 30 or from "cf graph"
	(ii)		15 - 17		M1 for horizontal lines drawn at cf = 20 and cf = 60 oe and vertical lines drawn to 'x'-axis or 'correct' marks drawn on 'x'-axis only or for UQ = 36 - 38 and LQ = 20.5 - 23 or ft "cf graph" A1 For answer in the range of 15-17 or ft from "cf graph"